



<b>Product Code</b>  <b>SDS-CT-90e</b>	<b>Nominal Dimensions</b>  N/A	
<b>Description</b>  The 90° External Connector allows Holocom Secure Raceway to perform a right-angle turn on an outside corner. Holocom improved upon its original design by eliminating the internal locking mechanism. The updated 90° External Connector increases free cable space and has the same height/width outside dimensions as the corresponding Secure Raceway and TopCap. This allows a mounting technique consistent with that used for Raceway/TopCap end joints and the new Holocom connectors. The new 90° External Connector weighs less and is smaller thereby allowing mounting in tighter spaces. Attach the new 90° External Connector to Secure Raceway with two (2) Secure Raceway Joints (supplied in kits SDS-RW-AKT-02/03 and SDS-RW-BRG and individually SDS-RW-SRJ), one (1) End-to-End Connector (SDS-CT-EE6-ST), and one (1) Steel Locking Kit (SDS-LK-KIT-ST). Two manufactured mounting points on the base provide additional labor-saving efficiency.		
<b>Specifications</b> <ul style="list-style-type: none"> <li>• 16-gauge electro-galvanized steel</li> <li>• Weight: 3 lbs</li> <li>• Two (2) manufactured mounting points located along connector center line</li> </ul> Powder Coat Finish: White Textured		

	HOLOCOM, INC. <a href="mailto:customerservice@holocom.com">customerservice@holocom.com</a> <a href="http://www.holocom.com">www.holocom.com</a>	<b>PRODUCT CODE:</b> <b>SDS-CT-90e</b>	<b>TITLE:</b> 90° EXTERNAL CONNECTOR
All material contained in this document is the property of Holocom, Inc. and may not be reproduced or transmitted (including electronically) without the written consent of Holocom, Inc. Holocom and the Holocom logo are registered trademarks of Holocom, Inc. Other noted marks are trademarks of their respective companies. Holocom products protected by US Pats. 7,183,488; 7,115,814; 7,053,303; 7,049,517; 6,838,616; 5,831,211 and patents pending. Made in the U.S.A. Copyright © 2009/2010 Holocom, Inc. All rights reserved.			